

s a r o m ™
c o m b i n a t i o n s u n e x p e c t e d




BENTLEY



BENTELY - 902



BENTELY - 904



BENTELY - 702



BENTELY - 903




BENTELY - 907




BENTELY - 905




BENTELY - 704




BENTELY - 910




BENTELY - 912




BENTELY - 908




BENTELY - 909




BENTELY - 916




BENTELY - 917




BENTELY - 911




BENTELY - 913



BENTELY - 914



BENTELY - 915




BENTELY - 703




BENTELY - 906




BENTELY - 901




BENTELY - 701




BENTELY - 706




BENTELY - 946




BENTELY - 945




BENTELY - 707




BENTELY - 947




BENTELY - 948




BENTELY - 944




BENTELY - 705




BENTELY - 949



BENTELY - 927



BENTELY - 928



BENTELY - 929



BENTELY - 930




BENTELY - 926



BENTELY - 925




BENTELY - 924




BENTELY - 922




BENTELY - 923



BENTELY - 921




BENTELY - 920



BENTELY - 943




BENTELY - 919



BENTELY - 918



BENTELY - 937




BENTELY - 938




BENTELY - 941




BENTELY - 939




BENTELY - 942




BENTELY - 940




BENTELY - 931



BENTELY - 932



BENTELY - 933



BENTELY - 934



BENTELY - 936



BENTELY - 935



BENTLEY - 909

BENTLEY

Design	Width (In Cms)	Weight	Composition	Martin - Dale (Dry)	Martin - Dale (Wet)	Parten Repeat (If any)
BENTLEY	137 ±2	615 GSM	PU-1%, PVC-79% FABRIC - 20%	25600 Cycles	6400 Cycles	N/A

1. We do not accept responsibility for any damage resulting from inappropriate use, chemical cleaning or additional impregnation.
2. Test results were gathered from various samples and therefore represent average indicative values.
3. Discolouration caused by clothing fabrics such as jenas does not represent a material defect. Minor colour deviations and discolouring in context of permissible industrial tolerance standards do not constitute reasons for claims .

PU/PVC FABRIC CARE INSTRUCTIONS :

1. Vacuum and dust regularly.
2. Do not place heater close to PU/PVC fabric (No closer than 50 cm).
3. Protect from direct sunlight.
4. Wipe over contact areas regularly with clean soft cloth.
5. Avoid hard rubbing and scrubbing.
6. Treat all liquid and food spills immediately.
7. Clean contact areas of perspiration and body oils regularly.
8. Keep pets and sharp object away from PU/PVC fabric Fur is particularly cause permanent discoloration
Claws Belt Buckles, Heels, Key, Knives or pull causing permanent PU/PVC fabric damage.

Washing Instructions



MADE IN INDIA

Color may vary from batch to batch

Complimentary Sample File Not For Sale

Product Color May Slightly Vary From Original Due To Photographic Lighting Sources Or Your Screen Settings.



s a r o m ™
c o m b i n a t i o n s u n e x p e c t e d

www.sarom.info